

Message

From: Keigwin, Richard [Keigwin.Richard@epa.gov]
Sent: 7/14/2021 1:00:50 PM
To: Goodis, Michael [Goodis.Michael@epa.gov]; Echeverria, Marietta [Echeverria.Marietta@epa.gov]
Subject: Fwd: AAPCO - 249c) Letter ASPCRO - NPMA Device Concerns
Attachments: image001.png; AAPCO 24(c) 7132021.pdf

Even though the subject line says devices, this is really about 24(c)'s.

Rick Keigwin
Deputy Assistant Administrator for Management
Office of Chemical Safety and Pollution Prevention
U.S. Environmental Protection Agency
Phone: 202-564-1931
Sent from my iPhone (Please excuse typos!)

Begin forwarded message:

From: "Jones, Patrick" <patrick.jones@ncagr.gov>
Date: July 14, 2021 at 8:10:37 AM EDT
To: "Regan, Michael" <Regan.Michael@epa.gov>
Cc: "Freedhoff, Michal" <Freedhoff.Michal@epa.gov>, "Messina, Edward" <Messina.Edward@epa.gov>, "Keigwin, Richard" <Keigwin.Richard@epa.gov>, "O'Neill, Sandra" <O'Neill.Sandra@epa.gov>, "Tindall, Kelly" <tindall.kelly@epa.gov>
Subject: AAPCO - 249c) Letter ASPCRO - NPMA Device Concerns

On behalf of the Association of American Pesticide Control Officials (AAPCO), we submit the attached document addressing our concerns with the current status of the 24 (c) Special Local Need Registrations. We are concerned with the recent in shift of not allowing States with needed flexibility to provide growers with needed tools to combat diseases and weed pests.

If you have any questions, please let us know. We would be happy to further discuss our concerns if needed.

Sincerely, Patrick Jones
AAPCO President

Deputy Director of Pesticide Programs
North Carolina Dept. of Agriculture and Consumer Services
Structural Pest Control and Pesticides Division
1090 Mail Service Center
Raleigh, NC 27699-1090
Direct Dial (919) 857-4143
Cell (336) 496-7106